



**Barcelona
Supercomputing
Center**
Centro Nacional de Supercomputación



Programming Distributed Computing Platforms with COMPSs

Workflows & Distributed Computing Group

25-26/01/2022

Barcelona

Supercomputers Hands-on



**Barcelona
Supercomputing
Center**

Centro Nacional de Supercomputación

Supercomputers Hands-on

- Execution in MareNostrum 4
- Tracing Analysis Overview

Execution in MareNostrum 4

- How to connect to MareNostrum?
 - **ssh -X nct01XXX@mn1.bsc.es**

(Where XXX is 171–195 or 201-210)

Password: 4bhj8bn.XXX


- Load COMPSs:
 - **export COMPSS_PYTHON_VERSION=3**
 - **module load COMPSs/2.10**
- Where is the source code?
 - **cd**
 - **cp -r /gpfs/home/nct00/nct00017/source .**
- Available editors
 - vi
 - emacs



WordCount@ Sequential

- Remember the dataset path
- How to launch with python sequentially?
 - > cd source/src
 - > python wordcount.py /gpfs/home/nct00/nct00017/dataset/dataset_4f_16mb
 - Results:

```
user@login:~> python wordcount.py /path/to/dataset/  
Elapsed Time (s): 3.959941864014  
Words: 10206202
```



- Submit jobs to MareNostrum 4:
 - All jobs should be submitted to the queuing system (SLURM)
 - We will use the **pycompss-cli**
 - Useful commands:
 - squeue – This command shows the status of the job.
 - scancel jobId – This command kills a job with id 'jobId'.



Execution in MareNostrum 4 - HandsOn

- `launch_with_pycompss.sh`

```
#!/bin/bash
```

```
pycompss job submit \
```

```
--qos=training \
```

```
--num_nodes=2 \
```

```
--exec_time=10 \
```

```
--reservation=PATC22_COMPSS \
```

```
--lang=python \
```

```
--tracing=true \
```



```
--graph=true \
```

```
/home/nct01/nct01XXX/source/src/wordcount.py /gpfs/home/nct00/nct00017/dataset/dataset_64f_16mb
```

- Parameters:
 - `num_nodes`: amount of nodes where to execute (1 master + 1 worker).
 - Dataset path: `/gpfs/home/nct00/nct00017/dataset/dataset_64f_16mb`
- How to execute with PyCOMPSs?
 - `chmod 755 launch_with_pycompss.sh`
 - `./launch_with_pycompss.sh`

Wordcount @ Performance Analysis

- Paraver is the BSC tool for trace visualization
 - Trace events are encoding in Paraver (.prv) format by Extrae
 - Paraver is a powerful tool for trace visualization.
 - An experimented user could obtain many different views of the trace events.
- For more information about Paraver visit:
 - <https://tools.bsc.es/paraver>



Wordcount @ Performance Analysis

- COMPSs can generate post-execution traces of the distributed execution of the application
 - Useful for performance analysis and diagnosis
- How it works?
 - Task execution and file transfers are application events
 - An XML file is created at workers to keep track of these events
 - At the end of the execution all the XML files are merged to get the final trace file
 - COMPSs uses Extrae tool to dynamically instrument the application
 - In a worker:
 - Extrae keeps track of the events in an intermediate file
 - In the master:
 - Extrae merges the intermediate files to get the final trace file

Wordcount @ Performance Analysis

----- Executing wc_reduce.py -----

Welcome to Extrae 3.5.3

Extrae: Generating intermediate files for Paraver traces.

Extrae: Intermediate files will be stored in /gpfs/home/nct01/nct01XXX/sources/examples

Extrae: Tracing buffer can hold 500000 events

Extrae: Tracing mode is set to: Detail.

Extrae: Successfully initiated with 1 tasks

[API] - Deploying COMPSs Runtime v2.10 (build 20210807-2012)

[API] - Starting COMPSs Runtime v2.10 (build 20210807-2012)

...

[API] - No more tasks for app 0

[API] - Getting Result Files 0

[API] - Execution Finished

...

Extrae: Application has ended. Tracing has been terminated.

merger: Output trace format is: Paraver

merger: Extrae 3.5.3

mpi2prv: Selected output trace format is Paraver

mpi2prv: Parsing intermediate files

mpi2prv: Generating tracefile (intermediate buffers of 745642 events)

mpi2prv: Congratulations! ./trace/wc_reduce.py_compss_trace_1453885329.prv has been generated.

Extrae starts before
the user application execution

COMPSs runtime starts

COMPSs runtime ends

The application finishes and
the tracing process ends


The merge process starts

Intermediate trace files
are processed

The final trace file is
generated


WordCount @ Performance Analysis

- Open Paraver
 - `module load paraver`
 - `cd $HOME/.COMPSSs/wordcount.py_01`
 - `wxparaver trace/*.prv`
 - COMPSs provides some configuration files to automatically obtain the view of the trace
 - File/Load Configuration...
- (/gpfs/apps/MN4/COMPSSs/2.10/Dependencies/paraver/cfgs/compss_tasks.cfg




Wordcount @ Performance Analysis

- Fit window
 - Right click on the trace window
 - Fit Semantic Scale/ Fit Both




- View Event flags
 - Right click on the trace window
 - View / Event Flags





Wordcount @ Performance Analysis

- Show info Panel
 - Right click on the trace window
 - Check info panel option
 - Select Colors tab of the panel



Wordcount @ Performance Analysis

- Zoom to see details
 - Select a region in the trace window to see in detail
 - And repeat the process until the needed zoom level
 - The undo zoom option is in the right click panel



Previous task
ends

Processor is
idle


New task starts

Wordcount @ Performance Analysis

- Summarizing:
 - Lines in the trace:
 - THREAD 1.1.X are the master threads
 - THREAD 1.X.Y are the worker threads

- Meaning of the colours:
 - Black: idle
 - Other colors: task running
 - see the color legend

- Flags (events):
 - Start / end of task





**Barcelona
Supercomputing
Center**
Centro Nacional de Supercomputación



EXCELENCIA
SEVERO
OCHOA

THANK YOU!

support-compss@bsc.es

www.bsc.es